194b

3

4

5

1	1. A method	of loading data into a data store connected to a computer, the method
2	comprising the steps of:	

identifying memory constraints;

identifying processing capabilities; and

determining a number of load and sort processes to be started in parallel based on the identified memory constraints and processing capabilities.

- 2. The method of claim 1, further comprising determining a number of build processes based on the number of sort processes.
- 3. The method of claim 1, wherein the number of sort processes does not exceed a number of indexes to be built.
- 4. The method of claim 1, wherein the number of load processes does not exceed a number of partitions to be loaded.
- 5. The method of claim 1, wherein the total number of load and sort processes does not exceed processing capabilities.
- 6. The method of claim 1, wherein the memory utilized by the load and sort processes does not exceed memory constraints.
- 7. The method of claim 1 wherein the number of load processes and the number of sort processes each require different processing power.

1	,
2(	inti
S	áb
1	Al

1

2

1

2

4

- 8. The method of claim 1 wherein the number of load processes and the number of sort processes each require similar processing power.
- 9. The method of claim 1 wherein the number of load processes is not equal to the number of sort processes.
- 10. The method of claim 1 wherein the number of load processes is equal to the number of sort processes.
- 11. The method of claim 1, wherein the number of load processes is equal to the number of sort processes and which is equal to half of the processing capabilities.
- 12. The method of claim 1, wherein a number of indexes is less than half of the processing capabilities, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that a number of load processes is the smaller of the difference of the processing capabilities available for the load processes and the number of sort processes, and a number of partitions.
- 13. The method of claim 1, wherein a number of partitions is less than half of the processing capabilities, wherein a number of load processes is equal to the number of partitions, and further comprising determining that a number of sort processes is the smaller of the difference of the processing capabilities available for the sort processes and the number of load processes, and a number of indexes.

- 14. The method of claim 1, wherein a number of indexes is less than the difference of the total amount of available memory and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that the number of load processes is the smaller of the difference of a total amount of available memory and the amount of memory required for the main process, and the amount of memory for each sort process multiplied by the number of indexes, divided by the memory required for each load process, and a number of partitions.
- 15. The method of claim 1, wherein the number of partitions is less than the difference of the total amount of available memory and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process, wherein a number of load processes is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.
- 16. The method of claim 1, wherein a number of load processes is equal to a number of sort processes which is equal to the difference of the total amount of available memory available and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process.

- of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process multiplied by the processing capabilities, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that the number of load processes is the smaller of the difference of the processing capabilities and the number of indexes, and a number of partitions.
- 18. The method of claim 1, wherein the number of partitions is less than the difference of the sum of the amount of memory required for each sort process multiplied by the processing capabilities, the total amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of load processes is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.
- 19. The method of claim 1, wherein a number of sort processes is equal to difference of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, and wherein the number of load processes is equal to the difference of the processing capabilities and the number of sort processes.

2

1

2

	20.	An apparatus for exec	cuting parallel load operations, comprising:
	a comp	outer having a data stor	re coupled thereto, wherein the data store stores data; and
	one or	more computer progra	ards, performed by the computer, for identifying memory
constr	aints, ic	lentifying processing o	capabilities, and determining a number of load and sor
proces	ses to b	e started in parallel ba	ased on the identified memory constraints and processing
capabi	lities.		

- 21. The apparatus of claim 22, further comprising determining a number of build processes based on the number of sort processes.
- 22. The apparatus of claim 22, wherein the number of sort processes does not exceed a number of indexes to be built.
- 23. The apparatus of claim 22, wherein the number of load processes does not exceed a number of partitions to be loaded.
- 24. The apparatus of claim\22, wherein the total number of load and sort processes does not exceed processing capabilities.
- 25. The apparatus of claim 22, wherein the memory utilized by the load and sort processes does not exceed memory constraints.
- 26. The apparatus of claim 22, wherein the number of load processes and the number of sort processes each require different processing power.
- 27. The apparatus of claim 22, wherein the number of load processes and the number of sort processes each require similar processing power.

8421.4

IBMST-043334

ST9-99-130

- 28. The apparatus of claim 22, wherein the number of load processes is not equal to the number of sort processes.
- 29. The apparatus of claim 22, wherein the number of load processes is equal to the number of sort processes.
- 30. The apparatus of claim 22, wherein the number of load processes is equal to the number of sort processes which is equal to half of the processing capabilities.
- 31. The apparatus of claim 22, wherein a number of indexes is less than half of the processing capabilities, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that a number of load processes is the smaller of the difference of the processing capabilities available for the load processes and the number of sort processes, and a number of partitions.
- 32. The apparatus of claim 22, wherein a number of partitions is less than half of the processing capabilities, wherein a number of load processes is equal to the number of partitions, and further comprising determining that a number of sort processes is the smaller of the difference of the processing capabilities available for the sort processes and the number of load processes, and a number of indexes.

2

3

- 34. The apparatus of claim 22, wherein the number of partitions is less than the difference of the total amount of available memory and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.
- 35. The apparatus of claim 22, wherein a number of load processes is equal to a number of sort processes which is equal to the difference of the total amount of available memory available and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process.

- 36. The apparatus of claim 22, wherein the number of indexes is less than the difference of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process multiplied by the processing capabilities, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that the number of load processes is the smaller of the difference of the processing capabilities and the number of indexes and, a number of partitions.
- 37. The apparatus of claim 22, wherein the number of partitions is less than the difference of the sum of the amount of memory required for each sort process multiplied by the processing capabilities, the total amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of load processes is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.
- 38. The apparatus of claim 22, wherein a number of sort processes is equal to difference of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, and wherein the number of load processes is equal to the difference of the processing capabilities and the number of sort processes.

			<b>\</b>		
1		39.	An article of manufacture comprising a program storage medium readable by a		
2	co	computer and embodying one or more instructions executable by the computer to perform			
3	method steps for loading data into a data store connected to a computer, the method comprising				
4	the steps of:				
5	5 10 identifying memory constraints;				
6	identifying processing capabilities; and				
7	determining a number of load and sort processes to be started in parallel based on the				
8	8 identified memory constraints and processing capabilities.				
1	21.126	40· 42.	The article of manufacture of claim 43, further comprising determining a number		
21	∭ of	build proce	esses based on the number of sort processes.		
O',	(A)				
	N.126	43.	The article of manufacture of claim 43, wherein the number of sort processes does		
12	no	ot exceed a	number of indexes to be built.		
11 L					
	Rlizb	44.	The article of manufacture of claim 43, wherein the number of load processes		
<b>12</b>	does not exceed a number of partitions to be loaded.		ed a number of partitions to be loaded.		
= ₽4	. 26				
CHC2C	RI.PL	43. 45.	The article of manufacture of claim 43, wherein the total number of load and sort		
<u></u>	processes does not exceed processing capabilities.				
1	-				
1	pl.124	44.	The article of manufacture of claim 43, wherein the memory utilized by the load		
2	· · · · · · · · · · · · · · · · · · ·				
1	R1.921	45.	The article of manufacture of claim 43, wherein the number of load processes and		

2

the number of sort processes each require different processing power.

1	P1.124 48.	The article of manufacture of claim 43, wherein the number of load processes and
2	the number of	of sort processes each require similar processing power.

1 L. The article of manufacture of claim 43, wherein the number of load processes is not equal to the number of sort processes.

The article of manufacture of claim 43, wherein the number of load processes is equal to the number of sort processes.

The article of manufacture of claim 43, wherein the number of load processes is equal to the number of sort processes which is equal to half of the processing capabilities.

The article of manufacture of claim 43, wherein a number of indexes is less than half of the processing capabilities, wherein a number of sort processes is equal to the number of indexes, and further comprising, determining that a number of load processes is the smaller of the difference of the processing capabilities available for the load processes and the number of sort processes, and a number of partitions.

The article of manufacture of claim 43, wherein a number of partitions is less than half of the processing capabilities, wherein a number of load processes is equal to the number of partitions, and further comprising determining that a number of sort processes is the smaller of the difference of the processing capabilities available for the sort processes and the number of load processes, and on a number of indexes.

2

4

3

4

12126 The article of manufacture claim 43, wherein a number of indexes is less than the difference of the total amount of available memory and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that the number of load processes is the smaller of the difference of a total amount of available memory and the amount of memory required for the main process, and the amount of memory for each sort process multiplied by the number of indexes, divided by the memory required for each load process and, a number of partitions.

> The article of manufacture claim 43, wherein the number of partitions is less than the difference of the total amount of available memory and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process, wherein a number of load processes is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.

> The article of manufacture of claim 43, wherein a number of load processes is equal to a number of sort processes which is equal to the difference of the total amount of available memory available and the amount of memory required for a main process, divided by the amount of memory required for each load and sort process.

8

The article of manufacture of claim 43, wherein the number of indexes is less than the difference of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process multiplied by the processing capabilities, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of sort processes is equal to the number of indexes, and further comprising determining that the number of load processes is the smaller of the difference of the processing capabilities and the number of indexes and, a number of partitions.

2

3

4

5

6

than the difference of the sum of the amount of memory required for each sort process multiplied by the processing capabilities, the total amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, wherein a number of load processes is equal to the number of partitions, and further comprising determining that the number of sort processes is the smaller of the difference of the total amount of available memory, the amount of memory required for the main process, and the amount of memory for each load process multiplied by the number of partitions, divided by the memory required for each sort process, and a number of indexes.

The article of manufacture of claim 43, wherein a number of sort processes is equal to difference of the total amount of available memory, the amount of memory required for a main process, and the amount of memory required for each load process, divided by the difference of the amount of memory required for each sort process and each load process, and wherein the number of load processes is equal to the difference of the processing capabilities and

the number of sort processes.

8421.4 IBMST-043334